

# Shunt trip release MX, ComPacT NSX, 24VAC 50/60Hz, screwless spring terminal connections

LV429384

## Main

ComPacT	
ComPact NSX100250	
ComPacT NSX100250	
ComPact NSX400630	
ComPacT NSX400630	
ComPact NSX100250 DC	
ComPacT NSX100250 DC	
ComPact NSX100250 DC PV	
ComPacT NSX100250 DC PV	
ComPact NSX400630 DC	
ComPacT NSX400630 DC	
ComPact NSX400630 DC PV	
ComPacT NSX400630 DC PV	
MX	
Voltage release	
Control	
Opening coil	
Shunt trip release	
24 V AC 50/60 Hz	
ComPacT ComPacT NSX	
ComPacT ComPacT NSX DC	
ComPact ComPact NSX	
ComPact ComPact NSX DC	
EasyPact EasyPact CVS	
PowerPact PowerPact Multistandard	

## Complementary

Operating threshold	0.71.1 x Un opening	
Response time	50 ms	
Control signal type	Maintained Impulse	
Impulse duration	>= 20 ms	
Supply inrush power	10 VA	
Auxiliary connection terminal	Spring 0.51.5 mm² (AWG 20AWG 16)	
Wire stripping length	7 mm	

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4 500 cm

Package 1 Width	4.500 cm
Package 1 Length	6.200 cm
Package 1 Weight	118.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	7.200 cm
Package 2 Width	10.500 cm
Package 2 Length	23.500 cm
Package 2 Weight	1.234 kg
Unit Type of Package 3	S03
Number of Units in Package 3	60
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	7.480 kg

## **Contractual warranty**

Warranty (in months)

18



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Total lifecycle Carbon footprint	1
Environmental Disclosure	Product Environmental Profile

### **Use Better**

<b>⊗</b> Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	81ad7b79-ef4f-4746-bccc-1c5b358db33b
REACh Regulation	REACh Declaration
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes
Silicone-free	No

### **Use Again**

○ Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins