

# Specificații



## Eaton 248293

Eaton Distribution parts. Remote tripping module, for PFIM, PFHM-4p, dRCM

### Specificații generale

<b>PRODUCT NAME</b>	Eaton Distribution parts
<b>CATALOG NUMBER</b>	248293
<b>EAN</b>	4015082482930
<b>PRODUCT LENGTH/DEPTH</b>	80 mm
<b>PRODUCT HEIGHT</b>	66 mm
<b>PRODUCT WIDTH</b>	9 mm
<b>PRODUCT WEIGHT</b>	0.05 kg
<b>COMPLIANCES</b>	RoHS conform
<b>CERTIFICATIONS</b>	EN45545-2 IEC 61373
<b>MODEL CODE</b>	Z-FAM



Powering Business Worldwide

## Specificații produs

<b>USED WITH</b>	Trip module Accessory for residual current circuit breaker Accessory
<b>ACCESSORY/SPARE PART TYPE</b>	Residual current release module
<b>MOUNTING METHOD</b>	For fitting on left to: FI
<b>ADDITIONAL EQUIPMENT REQUIRED</b>	Remote release
<b>AMBIENT OPERATING TEMPERATURE - MAX</b>	40 °C
<b>AMBIENT OPERATING TEMPERATURE - MIN</b>	-5 °C
<b>ASSEMBLY WIDTH</b>	0.5
<b>NUMBER OF CONTACTS (CHANGE-OVER CONTACTS)</b>	0
<b>NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)</b>	0
<b>NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)</b>	1
<b>NUMBER OF POLES AT MAIN CONTACT UNIT - MAX</b>	0
<b>NUMBER OF SWITCHES (FAULT SIGNAL)</b>	0
<b>VOLTAGE TYPE</b>	AC
<b>FUNCTIONS</b>	Remote drive
<b>DEVICE FITTING</b>	Earth leakage switch
<b>TYPE</b>	<ul style="list-style-type: none"><li>• Accessory</li><li>• Accessory for residual current circuit breaker</li></ul>
<b>APPLICATION</b>	Switchgear for industrial and advanced commercial applications
<b>RATED OPERATIONAL VOLTAGE (UE) - MAX</b>	400 V

## Resurse

DESENE

[eaton-dimensions-mas-fam.jpg](#)

---

**DENUMIREA PROIECTULUI:**

**NUMĂRUL PROIECTULUI:**

**PREGĂTIT DE:**

**DATA:**

---



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Irlanda  
Eaton.com

© 2026 Eaton. Toate drepturile rezervate

Urmăriți-ne pe rețelele de socializare  
pentru a obține cele mai noi  
informații despre produse și  
asistență.

